

Alpha Resources, Inc. Certificate Of Analysis

AR1702

COAL STANDARD

LOT #702299BL LID ID 702299

DRIED BASIS VALUE

WEIGHT PERCENT SULFUR = 0.70
STANDARD DEVIATION = 0.03

The certified mean values were statistically derived from the values reported to Alpha Resources through Round Robin.

Method
ASTM D 4239
ASTM D 2013

This Certified Reference Material was traced to N.I.S.T. SRM 2682 and 2863

Notes:

Normal ASTM procedures should be employed when using this standard. This includes using the *reproducibility* and *repeatability* factors. Use the reproducibility factor when establishing the first set of data, and then establish an internal repeatability factor as your guideline.

The statistical analysis and overall coordination leading to certification was performed by D.M. Reasons at Alpha Resources.

Remedies for any claimed defect in this product will be limited to product replacement or refund of the purchase price. In no event shall Alpha Resources be liable for incidental or consequential damages.

EXPIRATION DATE

**THIS CRM IS VALID FOR TWO YEARS FROM THE DATE OF PURCHASE WHICH
APPEARS ON THE BOTTLE**



P.O. Box 199 3090 Johnson Road Stevensville, MI 49127 USA Phone () 3629

www.alpharesources.com

Page 1 Of 1