

Alpha Resources, Inc. Certificate Of Analysis

AR1911

CHLORINE IN COAL

LOT #911297

LID ID 1911

DRIED BASIS VALUE

WEIGHT PERCENT CHLORINE = 0.108
STANDARD DEVIATION = 0.008

The certified mean values were statistically derived from the values reported to Alpha Resources through Round Robin.

Methods
ASTM D 4208
ASTM D 2013

Notes:

This Certified Reference Material was traced to N.I.S.T. SRM 1623b

Normal ASTM procedures should be employed when using this standard. This includes using the *reproducibility* and *repeatability* factors. Use the reproducibility factor when establishing the first set of data, and then establish an internal repeatability factor as your guideline.

The statistical analysis and overall coordination leading to certification was performed by D.M. Reasons at Alpha Resources.

Remedies for any claimed defect in this product will be limited to product replacement or refund of the purchase price. In no event shall Alpha Resources be liable for incidental or consequential damages.

EXPIRATION DATE
THIS CRM IS VALID FOR TWO YEARS FROM THE DATE OF PURCHASE WHICH
APPEARS ON THE BOTTLE



P.O. Box 199 3090 Johnson Road Stevensville, MI 49127 USA Phone

www.alpharesources.com

Page 1 Of 1