

Alpha Resources, Inc.

Certificate Of Analysis

AR-2816

RESIDUAL OIL STANDARD

LOT # 816808

LID # 816808

WEIGHT PERCENT SULFUR = 2.936
STANDARD DEVIATION = +/- 0.189

High Purity Materials/Standards used:

T-Butyl Di-Sulfide

Phenothiazine

Methods used for analysis:

ASTM D 2622-07

ASTM D 5453-93

This standard was produced gravimetrically using high purity materials with precision NIST traceable weights and verified using the above ASTM methods and utilizing high purity standards for calibration. The precision value represents two times the standard deviation obtained through analytical analysis and precision of weights and balances used. When necessary, professional judgment is applied toward consideration of data and statistical information. The statistical analysis and the overall direction and coordination of the analytical measurements leading to certification were performed by K.E. Dyer at Alpha Resources. Normal ASTM procedures should be employed when using this standard. This includes using the *reproducibility* and *repeatability* factors for the ASTM method you wish to employ.

Notes:

Before use, the contents of the bottle should be mixed through vigorous shaking. The contents should not be exposed to air for a lengthy period of time.

This is a Certified Reference Material (CRM), and is traceable to the above-mentioned standards. For good laboratory practice it is recommended that all standards be verified prior to use. Remedies for any claimed defect in this product will be limited to product replacement or refund of the purchase price. In no event shall Alpha Resources be liable for incidental or consequential damages.

EXPIRATION DATE

THIS CRM IS VALID FOR TWO YEARS FROM THE DATE OF OPENING

October 14, 2008

