

Material Safety Data Sheet

FOR INDUSTRIAL USE ONLY

EPIKURE™ Curing Agent 3234

1. Product and company identification

Product name EPIKURE™ Curing Agent 3234**MSDS Number** 1608**Internal code** K8166**Product Type** Curing Agent**Manufacturer, Importer,
Supplier** Momentive Specialty Chemicals Inc.
180 East Broad Street
Columbus OH 43215

4information@momentive.com

Print date 11-JUL-2011**Telephone** **For Emergency Medical Assistance**
Call Health & Safety Information Services, 1-866-303-6949**For Emergency Transportation Information**

CHEMTREC US Domestic (800) 424-9300

CHEMTREC International (703) 527-3887

CANUTEC CA Domestic (613) 996-6666

For additional health and safety or regulatory information, call 1 888
443 9466 .

2. Hazards identification

Form Liquid**Odor** Amine**OSHA/HCS status** This material is considered hazardous by the OSHA Hazard
Communication Standard (29 CFR 1910.1200).**Emergency overview** DANGER !
TOXIC IF INHALED. HARMFUL IN CONTACT WITH SKIN. CAUSES
RESPIRATORY TRACT, EYE AND SKIN BURNS. MAY CAUSE
ALLERGIC RESPIRATORY AND SKIN REACTION. CROSS-
SENSITIZATION TO OTHER AMINES MAY OCCUR.**Potential acute health effects****Inhalation** Corrosive to the respiratory system. May cause sensitization by
inhalation. Exposure to decomposition products may cause a health
hazard. Serious effects may be delayed following exposure. Toxic if
inhaled.**Ingestion** May cause burns to mouth, throat and stomach.**Skin** Corrosive to the skin. Causes burns. Harmful in contact with skin. May
cause sensitization by skin contact.

Eyes Corrosive to eyes. Causes burns. Excessive tear formation.

Potential chronic health effects

Chronic effects Contains material that can cause target organ damage.

Carcinogenicity No known significant effects or critical hazards.

Mutagenicity No known significant effects or critical hazards.

Teratogenicity No known significant effects or critical hazards.

Developmental effects No known significant effects or critical hazards.

Fertility effects No known significant effects or critical hazards.

Target organs Contains material which causes damage to the following organs: kidneys, lungs, liver, Review Section 2 and 11 for any additional assessments.

Over-exposure signs/symptoms

Inhalation Adverse symptoms may include the following: respiratory tract irritation, coughing, wheezing and breathing difficulties, asthma,

Ingestion Adverse symptoms may include the following: stomach pains,

Skin Adverse symptoms may include the following: pain or irritation, redness, blistering may occur

Eyes Adverse symptoms may include the following: pain, watering, redness,

Medical conditions aggravated by over-exposure Pre-existing respiratory and skin disorders and disorders involving any other target organs mentioned in this MSDS as being at risk may be aggravated by over-exposure to this product.

See section 11 for more detailed information on health effects and symptoms.

3. Composition/Information on ingredients

<u>Ingredient name</u>	<u>CAS number</u>	<u>WT %</u>
Triethylenetetramine	112-24-3	70.0 - 100.0

*** Any applicable Canadian trade secret numbers will be listed in Section 15.*

4. First aid measures

Eye contact Get medical attention immediately. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Chemical burns must be treated promptly by a physician.

Skin contact Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention immediately.

Inhalation Get medical attention immediately. Move exposed person to fresh air. If it is suspected that fumes are still present, the rescuer should wear an

appropriate mask or self-contained breathing apparatus. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. In the event of any complaints or symptoms, avoid further exposure.

Ingestion

Get medical attention immediately. Wash out mouth with water. Remove dentures if any. Move exposed person to fresh air. Keep person warm and at rest. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Protection of first aid personnel

No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

Notes to physician

In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

See section 11 for more detailed information on health effects and symptoms.

5. Fire-fighting measures

Flammability of the product

In a fire or if heated, a pressure increase will occur and the container may burst.

Extinguishing media

Suitable

Use an extinguishing agent suitable for the surrounding fire.

Not suitable

Do not use water jet.

Special exposure hazards

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Hazardous combustion products

Decomposition products may include the following materials: carbon oxides, nitrogen oxides,

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental release measures

Personal precautions

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see section 8).

Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Large spill

Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information and section 13 for waste disposal.

Small spill

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

7. Handling and storage

Handling

Put on appropriate personal protective equipment (see section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Persons with a history of skin sensitization problems or asthma, allergies or chronic or recurrent respiratory disease should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Storage

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

8. Exposure controls/personal protection

Ingredient name
Triethylenetetramine

Occupational exposure limits

AIHA WEEL 8-hr TWA

1 ppm

Consult local authorities for acceptable exposure limits.

Recommended monitoring procedures	If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.
Engineering measures	Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Respiratory	Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Eyes	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.
Skin	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

9. Physical and chemical properties

Form	Liquid
Flash point	122 °C(252 °F) Pensky-Martens Closed Cup ASTM D 93
Auto-ignition temperature	335 °C
Color	Yellow
Odor	Amine
pH	10 - 12
Boiling point	277 °C(531 °F)
Melting Point	-35 °C(-31 °F)
Vapor pressure	Less than 0.001 kPa @ 20 °C(68 °F)
Viscosity	Dynamic- Estimated. 30 mPa·s @ 20 °C(68 °F)
Solubility	Complete
Density	980 kg/m ³ @ 20 °C(68 °F)
Vapor density	5

10. Stability and reactivity

Stability	The product is stable. Under normal conditions of storage and use, hazardous polymerization will not occur.
Conditions to avoid	Avoid all possible sources of ignition (spark or flame). Exposure to water vapour. Strong oxidizer,
Materials to avoid	strong oxidizing agents, acids,
Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. Toxicological information

Acute toxicity

Ingredient name

Triethylenetetramine

LD50 Oral	Rabbit	5,500 mg/kg
LD50 Oral	Mouse	38.5 mg/kg
LD50 Oral	Rat	1,080 mg/kg
LD50 Dermal	Rabbit	675 mg/kg

Other Toxicological Information

Carcinogenicity

Classification

Ingredient name

Triethylenetetramine

ACGIH	Not classified
IARC	Not classified
NTP	Not listed
OSHA	Not regulated
EU	Not classified

12. Ecological information

Environmental effects

No known significant effects or critical hazards.

Other adverse effects

No known significant effects or critical hazards.

13. Disposal considerations

Waste disposal

The generation of waste should be avoided or minimized wherever possible. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

14. Transport information

The data provided in this section is for information only and may not be specific to your package size or mode of transport. You will need to apply the appropriate regulations to properly classify your shipment for transportation.

International transport regulations

Regulatory information CFR	UN/NA number	Proper shipping name	Classes/*PG	Reportable Quantity (RQ)
	2259	TRIETHYLENETETRAMINE	Class 8 II	
TDG	2259	TRIETHYLENETETRAMINE	Class 8 II	
IMO/IMDG	2259	TRIETHYLENETETRAMINE	Class 8 II	

*PG : Packing group

15. Regulatory information

US regulations

HCS Classification Toxic material, Corrosive material, Sensitizing material, Target organ effects

U.S. Federal regulations

SARA 311/312 Classification Immediate (acute) health hazard, Delayed (chronic) health hazard

SARA 313 - Supplier Notification

This product contains the following toxic chemical(s) subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986, and Subpart C-Supplier Notification Requirement of 40 CFR Part 372.
None required.

SARA 302 Extremely Hazardous Substances None required.

State regulations

Massachusetts RTK Substances The following components are listed:
Triethylenetetramine,

New Jersey RTK Hazardous Substances The following components are listed:
Triethylenetetramine,

Pennsylvania RTK Hazardous Substances The following components are listed:
Triethylenetetramine,

California Prop. 65: None required.

Canada**WHMIS (Canada)**

Class D-1A: Material causing immediate and serious toxic effects (Very toxic).
Class D-2A: Material causing other toxic effects (Very toxic).
Class D-2B: Material causing other toxic effects (Toxic).
Class E: Corrosive material

Canadian lists

Canadian NPRI: None required.

International regulations**Chemical inventories**

Europe inventory All components are listed or exempted.
Australia inventory (AICS) All components are listed or exempted.
China inventory (IECSC) All components are listed or exempted.
Korea inventory (KECI) All components are listed or exempted.
Philippines inventory (PICCS) All components are listed or exempted.
Japan inventory (ENCS) All components are listed or exempted.
United States inventory (TSCA 8b) All components are listed or exempted.
Canada inventory All components are listed or exempted.

16. Other information

**Hazardous Material
Information System III
(U.S.A.)**

Health : 3
Flammability: 1
Physical hazards : 0
Chronic : *

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868. The customer is responsible for determining the PPE code for this material.

Prepared by	Product Safety & Regulatory Compliance Group, (614)225-4778
Date of issue	14-FEB-2011
Date of printing	11-JUL-2011
Version	7.4

Notice to reader

The information provided herein was believed by Momentive Specialty Chemicals ("Momentive") to be accurate at the time of preparation or prepared from sources believed to be reliable, but it is the responsibility of the user to investigate and understand other pertinent sources of information, to comply with all laws and procedures applicable to the safe handling and use of the product and to determine the suitability of the product for its intended use. All products supplied by Momentive are subject to Momentive's terms and conditions of sale. MOMENTIVE MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THE PRODUCT OR THE MERCHANTABILITY OR FITNESS THEREOF FOR ANY PURPOSE OR CONCERNING THE ACCURACY OF ANY INFORMATION PROVIDED BY MOMENTIVE, except that the product shall conform to Momentive's specifications. Nothing contained herein constitutes an offer for the sale of any product.

® and ™ Licensed trademarks of Momentive Specialty Chemicals Inc.