MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND CONTACT INFORMATION

Product Name: Aluminum Oxide (Alumina)

AR 426, AR 427, AR2188, AR01008, AR01008-200, AM0786, AM0787, AM0782, AM0783, AM0778, AM0779, KED1016

Alpha Resources, Inc. P.O. Box 199 Stevensville, MI 49127 Phone: 269-465-5559

2. COMPOSITION/INFORMATION ON INGREDIENTS

			OSHA	ACGIH	NIOSH
CAS NO.	%W	CHEMICAL NAMES	PEL (mg/m3)	TLV (mg/m3)	TWA (mg/m3)
1344-28-1	100	Aluminum Oxide	10 (dust)	10	N/A

3. HAZARD IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYES: May cause eye irritation.

SKIN: May cause skin irritation.

INHALATION: Spray mist or dry dust may cause physical irritation to upper respiratory tract. In dry form this material is a nuisance dust and as such does not product significant organic disease or toxic effect with reasonable exposures.

INGESTION: Not hazard.

CHRONIC OVEREXPOSURE: Prolonged exposure can affect lung functions. .

ACUTE OVEREXPOSURE: Not available.

MEDICAL CONDITIONS AGGRAVATED: Persons with chronic respiratory or dermatological disorders may be at increased risk from exposure.

CARCINOGENICITY: None.

4. FIRST AID MEASURES

EYES: Flush with large amounts of water. Get medical attention INHALATION: Removed from exposure to fresh air immediately. Get medical attention SKIN: Wash skin with plenty of soap and water. If irritation occurs, seek medical aid. INGESTION: Not normal route of exposure. No known effects. Seek medical advice.

5. FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES Non-flammable Flash Point: Not available Flammable Limits: (% by Volume in Air): Lower: None Upper: None

AUTO-IGNITION TERMERATURE: N/A HAZARDOUS COMBUSTION PRODUCTS: Not available. EXTINGUISHING MEDIA: Water. FIREFIGHTING INSTRUCTIONS: No special procedures or unusual hazards.

6. ACCIDENTAL RELEASE MEARURES

SMALL/LARGE SPILL: Flush with water to chemical sewer.

7. HANDLING AND STORAGE

HANDLING: Keep tightly closed. STORAGE: Keep tightly closed. Avoid direct sunlight during prolonged storage.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: Adequate ventilation to reduce air contaminant below that which may cause personal injury or illness.

RESPIRATORY PROTECTION: NIOSH/MSHA approved respirator where spray mist may occur. SKIN AND HAND PROTECTION: Rubber or neoprene gloves.

EYE AND FACE PROTECTION: Chemical splash goggles.

OTHER PROTECTIVE EQUIPMENT: Barrier cream recommended for persons with unusual skin sensitivity.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: white solid BOILING POINT: 212 F (100 C) FREEZE-MELT POINT: 32 F (0 C) VAPOR PRESSURE: N/A VAPOR DENSITY: N/A SOLUBILITY IN WATER: solids have negligible solubility. SPECIFIC GRAVITY: 1.2 pH: N/A ODOR: None PERCENT VOLATILES: N/A EVAORATION RATE: <1.2

10. STABILITY AND REACTIVITY

CHEMICAL STABILITY: Stable INCOMPATIBILITY: incompatible with hot chlorinated rubber. HAZARDOUS DECOMPOSITION PRODUCTS: None. HAZARDOUS POLYMERIZATION: None.

11. TOXICOLOGICAL INFORMATION

This specific material has not been tested.

12. ECOLOGICAL INFORMATION

None available.

13. DISPOSAL CONSIDERATION

Dispose of in accordance with federal, state and local regulations.

14. TRANSPORTATION INFORMATION

USA DOT: Not regulated

15. REGULATORY INFORMATION

US FEDERAL REGULATIONS TSCA STATUS: On toxic Substance Control Inventory CERCLA Reportable Quantity: None RCRA Status: Not available SARA TITLE III: Section 302 Extremely Hazardous Substances: None Section 311/312 Hazardous Categories: Chronic Section 313 Toxic Chemicals: Aluminum Oxide (Fibrous Forms only)

CANADAIN REGULATIONS WHMIS: Classified D2B

16. OTHER INFORMATION

SUPPLEMENTAL INFORMATION

The data and information as stated was furnished by the manufacturer/vendor &/or supplier of this product. Alpha Resources, Inc. cannot warrant the accuracy of this information and shall not be responsible or liable for any damage that may result, should any of the information be erroneous.

Date Prepared: January 14, 2013

Prepared by: Ken Mantei