

<u>AEB1007</u>	Nickel Wool, Fine Wire
<u>AEB1013</u>	Copper Granules, .3-.85mm
<u>AEB1024</u>	Nickel Sheet Lining
<u>AEB1035</u>	Copper Wires
<u>AED6000</u>	Nickel Vial Receptacle
<u>AM0021</u>	Alox Belt 4x36 50 Grit w/d
<u>AM0022</u>	Alox Belt 4x36 80 Grit w/d
<u>AM0023</u>	Alox Belt 4x36 120 Grit w/d
<u>AM0024</u>	Alox Belt 4x36 180 Grit w/d
<u>AM0025</u>	Alox Belt 4x36 240 Grit w/d
<u>AM0033</u>	Sic Disc 8 x NH PSA 800 Grit
<u>AM0034</u>	Sic Disc 8 x NH PSA 1200 Grit
<u>AM0085</u>	Sic Abrasive Roll 3"x75' 60 Gr
<u>AM0086</u>	Sic Abrasive Roll 3"x75' 120 Gr
<u>AM0087</u>	Sic Abrasive Roll 3"x75' 180 Gr
<u>AM0088</u>	Sic Abrasive Roll 3"x75' 240 Gr
<u>AM0089</u>	Sic Abrasive Roll 3"x75' 320 Gr
<u>AM0090</u>	Sic Abrasive Roll 3"x75' 400 Gr
<u>AM0091</u>	Sic Abrasive Roll 3"x75' 600 Gr
<u>AM0160</u>	Sic 180 Grit Strip 100 Pack
<u>AM0161</u>	Sic 240 Grit Strip 100 Pack
<u>AM0162</u>	Sic 320 Grit Strip 100 Pack
<u>AM0163</u>	Sic 400 Grit Strip 100 Pack
<u>AM0164</u>	Sic 600 Grit Strip 100 Pack
<u>AM0165</u>	Wheel 12x1.25 AL203 10 Pack
<u>AM0166</u>	Wheel 12x1.25 Sic 10 Pack
<u>AM0167</u>	Wheel 10x1.25 AL203 10 Pack
<u>AM0168</u>	Sic Abrasive Strips, 400 Grit
<u>AM0169</u>	Sic Abrasive Strips, 600 Grit
<u>AM0215</u>	Sic Disc 12x.05, 600 Grit
<u>AM0216</u>	Silicon Carbide Abrasive Disc
<u>AM0217</u>	Sic PB 8 x NH 60 Grit

<u>AM0218</u>	8" x NH Sic 80 Grit 100 Count
<u>AM0219</u>	8" x NH Sic 120 Grit 100 Count
<u>AM0220</u>	Silicon Carbide Abrasive Disc
<u>AM0221</u>	8" x NH Sic 180 Grit 100 Count
<u>AM0222</u>	Silicon Carbide Abrasive Disc
<u>AM0223</u>	8" x NH Sic 240 Grit 100 Count
<u>AM0224</u>	Silicon Carbide Abrasive Disc
<u>AM0225</u>	8" x NH Sic 320 Grit 100 Count
<u>AM0226</u>	Silicon Carbide Abrasive Disc
<u>AM0227</u>	Sic 8 x NH PB 400 Grit
<u>AM0228</u>	Silicon Carbide Abrasive Disc
<u>AM0229</u>	8" x NH Sic 600 Grit 100 Count
<u>AM0230</u>	Silicon Carbide Abrasive Disc
<u>AM0231</u>	8x.5" Sic 60 Grit 100 Count
<u>AM0232</u>	8x.5" Sic 80 Grit 100 Count
<u>AM0233</u>	8x.5" Sic 120 Grit 100 Count
<u>AM0234</u>	Silicon Carbide Abrasive Disc
<u>AM0235</u>	Sic Disc 8x.5 PB 180 Grit
<u>AM0236</u>	Silicon Carbide Abrasive Disc
<u>AM0237</u>	Sic Disc 8x.5 PB 240 Grit
<u>AM0238</u>	Silicon Carbide Abrasive Disc
<u>AM0239</u>	Sic Disc 8x.5 PB 320 Grit
<u>AM0240</u>	Silicon Carbide Abrasive Disc
<u>AM0241</u>	Sic Disc 8x.5 PB 400 Grit
<u>AM0242</u>	Sic Disc 8x.5 PB 800 Grit
<u>AM0243</u>	Sic Disc 8x.5 PB 600 Grit
<u>AM0244</u>	Sic Disc 8x.5 PB 1200 Grit
<u>AM0245</u>	Sic Disc 12 x NH PSA 60 Grit
<u>AM0246</u>	Silicon Carbide Abrasive Disc
<u>AM0247</u>	Sic Disc 12 x NH PSA 120 Grit
<u>AM0248</u>	Silicon Carbide Abrasive Disc
<u>AM0249</u>	Sic Disc 12 x NH PSA 180 Grit
<u>AM0250</u>	Silicon Carbide Abrasive Disc

<u>AM0251</u>	Sic Disc 12 x NH PSA 240 Grit
<u>AM0252</u>	Silicon Carbide Abrasive Disc
<u>AM0253</u>	Sic Disc 12 x NH PSA 320 Grit
<u>AM0254</u>	Silicon Carbide Abrasive Disc
<u>AM0255</u>	Sic Disc 12 x NH PSA 400 Grit
<u>AM0256</u>	Sic Disc 12 x NH PSA 600 Grit
<u>AM0257</u>	Sic Disc 8 x NH PSA 60 Grit
<u>AM0258</u>	Sic Disc 8 x NH PSA 80 Grit
<u>AM0259</u>	Sic Disc 8 x NH PSA 120 Grit
<u>AM0260</u>	Silicon Carbide Abrasive Disc
<u>AM0261</u>	Sic Disc 8 x NH PSA 180 Grit
<u>AM0262</u>	Silicon Carbide Abrasive Disc
<u>AM0263</u>	Sic Disc 8 x NH PSA 240 Grit
<u>AM0264</u>	Silicon Carbide Abrasive Disc
<u>AM0265</u>	Sic Disc 8 x NH PSA 320 Grit
<u>AM0266</u>	Silicon Carbide Abrasive Disc
<u>AM0267</u>	Sic Disc 8 x NH PSA 400 Grit
<u>AM0268</u>	Silicon Carbide Abrasive Disc
<u>AM0269</u>	Sic Disc 8 x NH PSA 600 Grit
<u>AM0270</u>	Sic Disc 8 x 2.5 PSA 60 Grit
<u>AM0271</u>	Sic Disc 8 x 2.5 PSA 120 Grit
<u>AM0272</u>	Silicon Carbide Abrasive Disc
<u>AM0273</u>	Sic Disc 8 x 2.5 PSA 180 Grit
<u>AM0274</u>	Silicon Carbide Abrasive Disc
<u>AM0275</u>	Sic Disc 8 x 2.5 PSA 240 Grit
<u>AM0276</u>	Silicon Carbide Abrasive Disc
<u>AM0277</u>	Sic Disc 8 x 2.5 PSA 320 Grit
<u>AM0278</u>	Silicon Carbide Abrasive Disc
<u>AM0279</u>	Sic Disc 8 x 2.5 PSA 400 Grit
<u>AM0280</u>	Silicon Carbide Abrasive Disc
<u>AM0281</u>	Sic Disc 8 x 2.5 PSA 600 Grit
<u>AM0282</u>	Silicon Carbide Abrasive Disc
<u>AM0283</u>	Sic Disc 8 x 2.5 PSA 800 Grit

<u>AM0284</u>	Sic Disc 8 x 2.5 PSA 1200 Grit
<u>AM0285</u>	Silicon Carbide Abrasive Disc
<u>AM0286</u>	Silicon Carbide Abrasive Disc
<u>AM0287</u>	Silicon Carbide Abrasive Disc
<u>AM0288</u>	Silicon Carbide Abrasive Disc
<u>AM0289</u>	Silicon Carbide Abrasive Disc
<u>AM0290</u>	Silicon Carbide Abrasive Disc
<u>AM0291</u>	Silicon Carbide Abrasive Disc
<u>AM0292</u>	Silicon Carbide Abrasive Disc
<u>AM0293</u>	Silicon Carbide Abrasive Disc
<u>AM0294</u>	Silicon Carbide Abrasive Disc
<u>AM0295</u>	Silicon Carbide Abrasive Disc
<u>AM0296</u>	Silicon Carbide Abrasive Disc
<u>AM0297</u>	Silicon Carbide Abrasive Disc
<u>AM0298</u>	Sic Disc 12 x NH PB 800 Grit
<u>AM0299</u>	Sic Disc 12 x NH PB 1200 Grit
<u>AM0300</u>	Sic Disc 2 7/8" PSA 180 Grit
<u>AM0301</u>	Sic Disc 2 7/8" PSA 240 Grit
<u>AM0302</u>	Sic Disc 2 7/8" PSA 320 Grit
<u>AM0303</u>	Sic Disc 2 7/8" PSA 400 Grit
<u>AM0304</u>	Sic Disc 2 7/8" PSA 600 Grit
<u>AM0309</u>	Wheel 9 x 1.25 R AL203
<u>AM0314PB</u>	Zirconia Oxide Belt
<u>AM0341</u>	8" x NH PSA Zir Al 60 Grit
<u>AM0342</u>	8" x NH PSA Zir Al 120 Grit
<u>AM0342PB</u>	Zirconia Oxide Belt
<u>AM0343</u>	8" x NH PSA Zir Al 180 Grit
<u>AM0343PB</u>	Zirconia Oxide Belt
<u>AM0344</u>	8" x NH PSA Zir Al 220 Grit
<u>AM0344PB</u>	Zirconia Oxide Belt
<u>AM0357</u>	12" x NH PSA Zir Al 60 Grit
<u>AM0358</u>	12" x NH PSA Zir Al 120 Grit
<u>AM0424</u>	14" x NH PSA Sic 60 Grit

<u>AM0425</u>	14" x NH PSA Sic 120 Grit
<u>AM0426</u>	14" x NH PSA Sic 180 Grit
<u>AM0427</u>	14" x NH PSA Sic 240 Grit
<u>AM0428</u>	14" x NH PSA Sic 320 Grit
<u>AM0429</u>	14" x NH PSA Sic 400 Grit
<u>AM0430</u>	14" x NH PSA Sic 600 Grit
<u>AM0436</u>	Alox Belt 4 x 36 50 Grit Dry Only
<u>AM0437</u>	Alox Belt 4 x 36 80 Grit Dry Only
<u>AM0438</u>	Dry Belt A 4 x 36 10 Alo 120 Grit
<u>AM0544</u>	Zir Al Belt 4 x 36 50 Grit
<u>AM0545</u>	Zir Al belt 4 x 36 60 Grit w/d
<u>AM0546</u>	Zir Al Belt 4 x 36 120 Grit
<u>AM0547</u>	Zir Al Belt 4 x 36 180 Grit
<u>AM0548</u>	Zir Al Belt 4 x 36 220 Grit
<u>AM0665</u>	0.05 μ Gamma Alumina Suspension
<u>AM0778</u>	0.05 μ Gamma B Aluminum Oxide
<u>AM0779</u>	0.05 μ Gamma B Aluminum Oxide
<u>AM0782</u>	0.3 μ Alpha A Aluminum Oxide 1
<u>AM0783</u>	0.3 μ Alpha A Aluminum Oxide 5
<u>AM0786</u>	1 μ Alpha C Aluminum Oxide 1 lb
<u>AM0787</u>	1 μ Alpha C Aluminum Oxide 5 lb
<u>AM0818</u>	1 μ Alumina Suspension 1 Gallon
<u>AM0825</u>	5 μ Alumina Suspension 6 oz
<u>AM0825G</u>	5 μ Alumina Suspension 1 Gallon
<u>AM0826</u>	0.05 μ Gamma Alumina Suspension
<u>AM0827</u>	0.3 μ Alumina Suspension 6 oz
<u>AM0832</u>	1 μ Alumina Suspension 6 oz
<u>AM0834</u>	0.3 μ Alumina Suspension 1 Gallon
<u>AM0858</u>	Sic Disc 12 x NH PSA 800 Grit
<u>AM0859</u>	Sic Disc 12 x NH PSA 1200 Grit
<u>AM0865</u>	0.25 μ Diamond Compound 5 Grams
<u>AM0866</u>	0.25 μ Diamond Compound 20 Grams
<u>AM0867</u>	0.625 μ Diamond Compound 5 Grams

<u>AM0868</u>	0.625 µ Diamond Compound 20 Grams
<u>AM0875</u>	10 µ Diamond Compound 5 Grams
<u>AM0876</u>	10 µ Diamond Compound 20 Grams
<u>AM0877</u>	15 µ Diamond Compound 5 Grams
<u>AM0878</u>	15 µ Diamond Compound 18 Grams
<u>AM0887</u>	1.25 µ Diamond Compound 5 Grams
<u>AM0888</u>	1.25 µ Diamond Compound 20 Grams
<u>AM0889</u>	3 µ Diamond Compound 5 Grams
<u>AM0890</u>	3 µ Diamond Compound 20 Grams
<u>AM0891</u>	6 µ Diamond Compound 5 Grams
<u>AM0892</u>	6 µ Diamond Compound 20 Grams
<u>AM0893</u>	10 µ Diamond Compound 5 Grams
<u>AM0894</u>	10 µ Diamond Compound 20 Grams
<u>AM0895</u>	15 µ Diamond Compound 5 Grams
<u>AM0896</u>	15 µ Diamond Compound 20 Grams
<u>AM0897</u>	30 µ Diamond Compound 5 Grams
<u>AM0898</u>	30 µ Diamond Compound 20 Grams
<u>AM0899</u>	45 µ Diamond Compound 5 Grams
<u>AM0906</u>	1.25 µ Diamond Compound 5 Grams
<u>AM09087</u>	Diamond Compound
<u>AM0908</u>	3 µ Diamond Compound 5 Grams
<u>AM0909</u>	3 µ Diamond Compound
<u>AM0910</u>	6 µ Diamond Compound 5 Grams
<u>AM0911</u>	6 µ Diamond Compound 20 Grams
<u>AM0916</u>	30 µ Diamond Compound 5 Grams
<u>AM0917</u>	30 µ Diamond Compound 20 Grams
<u>AM0918</u>	45 µ Diamond Compound 5 Grams
<u>AM0919</u>	45 µ Diamond Compound 20 Grams
<u>AM1023</u>	Cutting Fluid for Diamond Saws
<u>AM1024</u>	Cutting Fluid for Diamond Saws
<u>AM1035</u>	Wheel 9 x 1.25 AL203 10 Pack
<u>AM1036</u>	Wheel 9 x 1.25 AL203
<u>AM1037</u>	Wheel 9 x 1.25 AL203 10 Pack

<u>AM1049</u>	Wheel 9 x 1.25 AL203
<u>AM1050</u>	Wheel 10 x 1.25 Sic 10 Pack
<u>AM1051</u>	Wheel 10 x 1.25 AL203 10 Pack
<u>AM1059</u>	Wheel 10 x 1.25 AL203 10 Pack
<u>AM1061</u>	Wheel 10 x 1.25 AL203 10 Pack
<u>AM1065</u>	Wheel 12 x 1.25 Al203 10 Pack
<u>AM1067</u>	Wheel 10 x 1.25 AL203 10 Pack
<u>AM1080</u>	Wheel 12 x 1.25 AL203 10 Pack
<u>AM1081</u>	Wheel 12 x 1.25 AL203 10 Pack
<u>AM1083</u>	Wheel 12 x 1.25 AL203 10 Pack
<u>AM1089</u>	Wheel 12 x 1.25 AL203 10 Pack
<u>AM1095</u>	Wheel 12 x 1.25 AL203 10 Pack
<u>AM1108</u>	Nitrite Free Coolant (1 Quart)
<u>AM1110</u>	Ultrasonic Cleaner Solution
<u>AM1111</u>	Black Phenolic (5 Pounds)
<u>AM1118</u>	Red Phenolic (5 Pounds)
<u>AM1123</u>	Green Phenolic (5 Pounds)
<u>AM1146</u>	4" AL203 Abrasive Cut-Off Wheel
<u>AM1161EPOXY</u>	Epoxy Kit HMA HMG
<u>AM1162</u>	Epoxy Kit HMA HMG
<u>AM1163</u>	Epoxy Resin 1 Quart
<u>AM1164</u>	Epoxy Resin 1 Gallon
<u>AM1165</u>	Epoxy Hardener 8 oz HMA HMG
<u>AM1166</u>	Epoxy Hardener HMA HMG
<u>AM1168</u>	Fast Set Epoxy Hardener HMA HMG
<u>AM1170</u>	Fast Set Epoxy Hardener 1Quart
<u>AM1271</u>	Silicone Mold Release 16 oz
<u>AM1300</u>	Black 1" Preforms 20 Count
<u>AM1301</u>	Black 1" Preforms 100 Count
<u>AM1302</u>	Black 1" Preforms 500 Count
<u>AM1303</u>	Black 1" Preforms 1000 Count
<u>AM1304</u>	Black 1 1/4" Preforms 20 Count
<u>AM1305</u>	Black 1 1/4" Preforms 100 Count

<u>AM1306</u>	Black 1 1/4" Preforms 500 Count
<u>AM1307</u>	Black 1 1/4" Preforms 1000 Count
<u>AM1308</u>	Black 1 1/2" Preforms 20 Count
<u>AM1309</u>	Black 1 1/2" Preforms 100 Count
<u>AM1310</u>	Black 1 1/2" Preforms 500 Count
<u>AM1311</u>	Black 1 1/2" Preforms 1000 Count
<u>AM1312</u>	Red 1" Preforms 20 Count
<u>AM1313</u>	Red 1" Preforms 100 Count
<u>AM1314</u>	Red 1" Preforms 500 Count
<u>AM1315</u>	Red 1" Preforms 1000 Count
<u>AM1316</u>	Red 1 1/4" Preforms 20 Count
<u>AM1317</u>	Red 1 1/4" Preforms 100 Count
<u>AM1318</u>	Red 1 1/4" Preforms 500 Count
<u>AM1319</u>	Red 1 1/4" Preforms 1000 Count
<u>AM1320</u>	Red 1 1/2" Preforms 20 Count
<u>AM1321</u>	Red 1 1/2" Preforms 100 Count
<u>AM1322</u>	Red 1 1/2" Preforms 500 Count
<u>AM1323</u>	Red 1 1/2" Preforms 1000 Count
<u>AM1324</u>	Green 1" Preforms 20 Count
<u>AM1325</u>	Green 1" Preforms 100 Count
<u>AM1326</u>	Green 1" Preforms 500 Count
<u>AM1327</u>	Green 1" Preforms 1000 Count
<u>AM1328</u>	Green 1 1/4" Preforms 20 Count
<u>AM1329</u>	Green 1 1/4" Preforms 100 Count
<u>AM1330</u>	Green 1 1/4" Preforms 500 Count
<u>AM1331</u>	Green 1 1/4" Preforms 1000 Count
<u>AM1332</u>	Green 1 1/2" Preforms 20 Count
<u>AM1333</u>	Green 1 1/2" Preforms 100 Count
<u>AM1334</u>	Green 1 1/2" Preforms 500 Count
<u>AM1335</u>	Green 1 1/2" Preforms 1000 Count
<u>AM2032</u>	Aluminum Oxide Disc
<u>AM2033</u>	Abrasive Discs AL203 8 x NH
<u>AM2034</u>	Alox 8 x NH 60 Grit PSA Back

<u>AM2035</u>	Aluminum Oxide Disc
<u>AM2036</u>	Aluminum Oxide Disc
<u>AM2077</u>	Alox 12 x NH 320 Grit PSA
<u>AM2080</u>	14" x NH PSA Zir Al 60 Grit
<u>AM2081</u>	14" x NH PSA Zir Al 120 Grit
<u>AM2082</u>	Alox Disc 12 x NH PSA 60 Grit
<u>AM2083</u>	Alox Disc 12 x NH PSA 120 Grit
<u>AM2084</u>	Alox Disc 12 x NH PSA 180 Grit
<u>AM2085</u>	Alox Disc 14 x NH PSA 60 Grit
<u>AM2086</u>	Alox Disc 14 x NH PSA 120 Grit
<u>AM2087</u>	Alox Disc 14 x NH PSA 180 Grit
<u>AM2090</u>	Sic Disc 10 x NH PSA 60 Grit
<u>AM2091</u>	Sic Disc 10 x NH PSA 120 Grit
<u>AM2092</u>	Sic Disc 10 x NH PSA 180 Grit
<u>AM2093</u>	Sic Disc 10 x NH PSA 240 Grit
<u>AM2094</u>	Sic Disc 10 x NH PSA 320 Grit
<u>AM2095</u>	Sic Disc 10 x NH PSA 400 Grit
<u>AM2096</u>	Sic Disc 10 x NH PSA 600 Grit
<u>AM2097</u>	Sic Disc 10 x NH PSA Back 80
<u>AM2098</u>	Sic Disc 10 x NH PSA Back 12
<u>AM2099</u>	Sic Disc 10 x NH 80 Grit
<u>AM2100</u>	Sic 12 x NH PB 60 Grit
<u>AM2101</u>	Sic 12 x NH PB 80 Grit 100/Box
<u>AM2102</u>	Sic 12 x NH PB 120 Grit
<u>AM2103</u>	Sic 12 x NH PB 180 Grit
<u>AM2104</u>	Sic 12 x NH PB 240 Grit
<u>AM2105</u>	Sic 12 x NH PB 320 Grit
<u>AM2106</u>	Sic 12 x NH PB 400 Grit
<u>AM2107</u>	Sic 12 x NH PB 600 Grit
<u>AM2108</u>	Sic 12 x NH PB 800 Grit
<u>AM2109</u>	Sic Disc 12 x NH Plain Back
<u>AM2110</u>	Silicon Carbide Abrasive Disc
<u>AM2111</u>	Silicon Carbide Abrasive Disc

<u>AM2112</u>	Silicon Carbide Abrasive Disc
<u>AM2113</u>	Silicon Carbide Abrasive Disc
<u>AM2114</u>	Silicon Carbide Abrasive Disc
<u>AM2115</u>	Silicon Carbide Abrasive Disc
<u>AM2116</u>	Silicon Carbide Abrasive Disc
<u>AM2117</u>	Silicon Carbide Abrasive Disc
<u>AM2118</u>	Silicon Carbide Abrasive Disc
<u>AM2119</u>	Silicon Carbide Abrasive Disc
<u>AM2120</u>	Sic Discs 10 x NH Plain Back
<u>AM2121</u>	Sic Discs 10 x NH Plain Back
<u>AM2122</u>	Silicon Carbide 120 Grit
<u>AM2123</u>	Sic Discs 10 x NH Plain Back
<u>AM2124</u>	Sic Discs 10 x NH Plain Back 2
<u>AM2125</u>	Sic Discs 10 x NH Plain Back
<u>AM2126</u>	Sic Disc 10 x NH PB 400 Grit
<u>AM2127</u>	Sic Disc 10 x NH PB 600 Grit
<u>AM2128</u>	Sic Discs 10 x NH Plain Back
<u>AM2129</u>	Sic Discs 10 x NH Plain Back
<u>AND3500</u>	Ni Capsule 12.5 x 5 mm Pressed
<u>AR000</u>	Parafin Oil C,H,N, BTU
<u>AR008</u>	Alphacel II Tungsten 5 Pound
<u>AR008B</u>	Alphacel II Tungsten 30 Pound
<u>AR01008</u>	Corundum Balls 4g per Bottle
<u>AR01009</u>	Aluminum Oxide
<u>AR01010</u>	Aluminum Oxide
<u>AR01011</u>	L-Aspartic Acid 98%+ OAS 10
<u>AR01012</u>	Aluminum Oxide
<u>AR01013</u>	Aluminum Oxide
<u>AR01014</u>	Aluminum Oxide
<u>AR01015</u>	Aluminum Oxide
<u>AR01016</u>	Aluminum Oxide
<u>AR01017</u>	Aluminum Oxide
<u>AR01018</u>	Aluminum Oxide

<u>AR01019</u>	Aluminum Oxide
<u>AR01020</u>	Combustion Tube Stainless Steel
<u>AR01021</u>	Aluminum Oxide
<u>AR01022</u>	Aluminum Oxide
<u>AR01023</u>	Aluminum Oxide
<u>AR01024</u>	Aluminum Oxide
<u>AR01025</u>	Aluminum Oxide
<u>AR01026</u>	Aluminum Oxide
<u>AR01027</u>	Aluminum Oxide
<u>AR01028</u>	Aluminum Oxide
<u>AR01029</u>	Copper Oxide Wire 250 Grams
<u>AR01030</u>	Combustion Tube Variomax
<u>AR01031</u>	Aluminum Oxide
<u>AR01032</u>	U Tube 195 mm Length
<u>AR01033</u>	Aluminum Oxide
<u>AR01034</u>	Aluminum Oxide
<u>AR01035</u>	Aluminum Oxide
<u>AR01036</u>	Aluminum Oxide
<u>AR01037</u>	Aluminum Oxide
<u>AR01038</u>	Aluminum Oxide
<u>AR01039</u>	Aluminum Oxide
<u>AR01040</u>	Post Combustion Tube Stainless Steel
<u>AR01041</u>	Aluminum Oxide
<u>AR01042</u>	Aluminum Oxide
<u>AR01043</u>	Aluminum Oxide
<u>AR01044</u>	Aluminum Oxide
<u>AR01045</u>	Aluminum Oxide
<u>AR01046</u>	5% Platinum Catalyst
<u>AR01047</u>	Aluminum Oxide
<u>AR01048</u>	Post Combustion Tube
<u>AR01049</u>	Aluminum Oxide
<u>AR01050</u>	Aluminum Oxide
<u>AR01051</u>	Aluminum Oxide

<u>AR01052</u>	Aluminum Oxide
<u>AR01053</u>	Aluminum Oxide
<u>AR01054</u>	Aluminum Oxide
<u>AR01055</u>	P205 Discontinued
<u>AR01056</u>	Aluminum Oxide
<u>AR01057</u>	Aluminum Oxide
<u>AR01058</u>	Aluminum Oxide
<u>AR01059</u>	Aluminum Oxide
<u>AR01060</u>	Aluminum Oxide
<u>AR01061</u>	Aluminum Oxide
<u>AR01062</u>	Aluminum Oxide
<u>AR01063</u>	Aluminum Oxide
<u>AR01064</u>	Aluminum Oxide
<u>AR01065</u>	Aluminum Oxide
<u>AR01066</u>	Aluminum Oxide
<u>AR01067</u>	Glutamic Acid 100 Grams
<u>AR01068</u>	Aluminum Oxide
<u>AR01069</u>	Aluminum Oxide
<u>AR01070</u>	Aluminum Oxide
<u>AR01071</u>	Aluminum Oxide
<u>AR01072</u>	Aluminum Oxide
<u>AR01073</u>	Aluminum Oxide
<u>AR01074</u>	Aluminum Oxide
<u>AR01075</u>	Aluminum Oxide
<u>AR01076</u>	Aluminum Oxide
<u>AR01077</u>	Aluminum Oxide
<u>AR01078</u>	Aluminum Oxide
<u>AR01079</u>	Aluminum Oxide
<u>AR01080</u>	Aluminum Oxide
<u>AR01081</u>	Aluminum Oxide
<u>AR01082</u>	Aluminum Oxide
<u>AR01083</u>	Aluminum Oxide
<u>AR01084</u>	Aluminum Oxide

<u>AR01085</u>	Aluminum Oxide
<u>AR01086</u>	Aluminum Oxide
<u>AR01087</u>	Aluminum Oxide
<u>AR01088</u>	Aluminum Oxide
<u>AR01089</u>	Aluminum Oxide
<u>AR01090</u>	Aluminum Oxide
<u>AR01091</u>	Aluminum Oxide
<u>AR01092</u>	Aluminum Oxide
<u>AR01093</u>	Aluminum Oxide
<u>AR01094</u>	Aluminum Oxide
<u>AR01095</u>	Aluminum Oxide
<u>AR01096</u>	Aluminum Oxide
<u>AR01097</u>	Aluminum Oxide
<u>AR01098</u>	Aluminum Oxide
<u>AR01099</u>	Aluminum Oxide
<u>AR01100</u>	Aluminum Oxide
<u>AR01101</u>	Aluminum Oxide
<u>AR01102</u>	Aluminum Oxide
<u>AR01103</u>	Aluminum Oxide
<u>AR01104</u>	Aluminum Oxide
<u>AR01105</u>	Aluminum Oxide
<u>AR01106</u>	Aluminum Oxide
<u>AR01107</u>	Aluminum Oxide
<u>AR01108</u>	Aluminum Oxide
<u>AR01109</u>	Aluminum Oxide
<u>AR01110</u>	Aluminum Oxide
<u>AR01111</u>	Aluminum Oxide
<u>AR01112</u>	Aluminum Oxide
<u>AR01113</u>	Aluminum Oxide
<u>AR01114</u>	Aluminum Oxide
<u>AR01115</u>	Aluminum Oxide
<u>AR01116</u>	Aluminum Oxide
<u>AR01117</u>	Aluminum Oxide

<u>AR01118</u>	Aluminum Oxide
<u>AR01119</u>	Aluminum Oxide
<u>AR01120</u>	Aluminum Oxide
<u>AR01121</u>	Aluminum Oxide
<u>AR01122</u>	Aluminum Oxide
<u>AR01123</u>	Aluminum Oxide
<u>AR01124</u>	Aluminum Oxide
<u>AR01125</u>	Aluminum Oxide
<u>AR01126</u>	Aluminum Oxide
<u>AR01127</u>	Aluminum Oxide
<u>AR01128</u>	Aluminum Oxide
<u>AR01129</u>	Aluminum Oxide
<u>AR01130</u>	Aluminum Oxide
<u>AR01131</u>	Aluminum Oxide
<u>AR01132</u>	Aluminum Oxide
<u>AR01133</u>	Aluminum Oxide
<u>AR01134</u>	Aluminum Oxide
<u>AR01135</u>	Aluminum Oxide
<u>AR01136</u>	Aluminum Oxide
<u>AR01137</u>	Aluminum Oxide
<u>AR01138</u>	Aluminum Oxide
<u>AR01139</u>	Aluminum Oxide
<u>AR01140</u>	Aluminum Oxide
<u>AR01141</u>	Aluminum Oxide
<u>AR01142</u>	Aluminum Oxide
<u>AR01143</u>	Aluminum Oxide
<u>AR01144</u>	Aluminum Oxide
<u>AR01145</u>	Aluminum Oxide
<u>AR01146</u>	Aluminum Oxide
<u>AR01147</u>	Aluminum Oxide
<u>AR01148</u>	Aluminum Oxide
<u>AR01149</u>	Aluminum Oxide
<u>AR01150</u>	Aluminum Oxide

<u>AR01151</u>	Aluminum Oxide
<u>AR01152</u>	Aluminum Oxide
<u>AR01153</u>	Aluminum Oxide
<u>AR01154</u>	Aluminum Oxide
<u>AR01155</u>	Aluminum Oxide
<u>AR01156</u>	Aluminum Oxide
<u>AR01157</u>	Aluminum Oxide
<u>AR01158</u>	Aluminum Oxide
<u>AR01159</u>	Aluminum Oxide
<u>AR01160</u>	Purge Solenoid Valve
<u>AR01161</u>	Aluminum Oxide
<u>AR01162</u>	Aluminum Oxide
<u>AR01163</u>	Aluminum Oxide
<u>AR01164</u>	Aluminum Oxide
<u>AR01165</u>	Aluminum Oxide
<u>AR01166</u>	Aluminum Oxide
<u>AR01167</u>	Aluminum Oxide
<u>AR01168</u>	Aluminum Oxide
<u>AR01169</u>	Aluminum Oxide
<u>AR01170</u>	Aluminum Oxide
<u>AR01171</u>	Aluminum Oxide
<u>AR01172</u>	Aluminum Oxide
<u>AR01173</u>	Aluminum Oxide
<u>AR01174</u>	Aluminum Oxide
<u>AR01175</u>	Aluminum Oxide
<u>AR01176</u>	Aluminum Oxide
<u>AR01177</u>	Aluminum Oxide
<u>AR01178</u>	Aluminum Oxide
<u>AR01179</u>	Aluminum Oxide
<u>AR01180</u>	Aluminum Oxide
<u>AR01181</u>	Aluminum Oxide
<u>AR01182</u>	Aluminum Oxide
<u>AR01183</u>	Aluminum Oxide

<u>AR01184</u>	Aluminum Oxide
<u>AR01185</u>	Aluminum Oxide
<u>AR01186</u>	Aluminum Oxide
<u>AR01187</u>	Aluminum Oxide
<u>AR01188</u>	Aluminum Oxide
<u>AR01189</u>	Aluminum Oxide
<u>AR01190</u>	Aluminum Oxide
<u>AR01191</u>	Aluminum Oxide
<u>AR01192</u>	Aluminum Oxide
<u>AR01193</u>	Aluminum Oxide
<u>AR01194</u>	Aluminum Oxide
<u>AR01195</u>	Aluminum Oxide
<u>AR01196</u>	Aluminum Oxide
<u>AR01197</u>	Aluminum Oxide
<u>AR01198</u>	Aluminum Oxide
<u>AR01199</u>	Aluminum Oxide
<u>AR01200</u>	Aluminum Oxide
<u>AR026</u>	Crucible for FP428 and CHN-60
<u>AR027</u>	Alphacel III -20+40 Mesh 5 Pounds
<u>AR027B</u>	Alphacel III (20-40 Mesh) 30 Pounds
<u>AR028</u>	Alpha Crucible Plate 1"H x 7" L
<u>AR034</u>	Graphite Crucible Box of 100
<u>AR034P</u>	Graphite Crucible Pk/200
<u>AR040</u>	Cover 4mm Hole 1000/box
<u>AR040P</u>	Cover 4mm Hole 250/pack
<u>AR042</u>	Porous Cover 1000/box
<u>AR042P</u>	Porous Cover
<u>AR043</u>	Cover w/ 10 mm Hole Box of 100
<u>AR043S</u>	Cover w/ 10 mm Hole 250/Pk
<u>AR049</u>	N Catalyst 50 Gram Bottle
<u>AR053</u>	Replaced by AR053HD
<u>AR053HD</u>	Graphite Crucibles 1000/pack
<u>AR053P</u>	Graphite Crucible Bag of 250

<u>AR059</u>	Tin Capsules 100/Bottle
<u>AR059F</u>	Tin Capsules Flat Bottom 100 P
<u>AR060</u>	Manganese Dioxide
<u>AR062</u>	Manganese Dioxide
<u>AR0708</u>	Coal Standard
<u>AR073</u>	Graphite Powder 100 g
<u>AR076</u>	Tin Metal 20 Mesh 2# Bottle
<u>AR077</u>	Iron Chip Accelerator 908 g
<u>AR078</u>	Iron Powder 1 Pound Container
<u>AR081</u>	Glass Wool 1 Pound Container
<u>AR085</u>	Quartz Wool 12+ μ Coarse Wad
<u>AR100</u>	Residual Oil C,H,N,BTU
<u>AR1171</u>	Alphadri TM
<u>AR1189</u>	Copper Sticks 100 g Ampoule
<u>AR144</u>	Magnesium Oxide 1 Pound
<u>AR147</u>	Copper Pin Standard Low Oxygen
<u>AR148</u>	Copper Pin Standard High Oxygen
<u>AR149</u>	Copper Pin Standard High Oxygen
<u>AR150</u>	Residual Oil CHN, BTU 118 mL
<u>AR1622</u>	Residual Oil Ultimate
<u>AR1647</u>	O/N in Steel Pin Standard O=3
<u>AR1648</u>	O/N in Steel Pin Standard O=1
<u>AR1649</u>	Discontinued/No Longer Offered
<u>AR1650</u>	Material Out of Stock, Discontinued
<u>AR1651</u>	O/N in Steel Pin Standard O=8
<u>AR1652</u>	O/N in Steel Pin Standard O=3
<u>AR1653</u>	O/N in Steel Pin Standard O=8
<u>AR1655</u>	O/N in Steel Pin Standard O=2
<u>AR168</u>	Alphasolve 20-40 Mesh 250 g
<u>AR169</u>	Alphasolve 8-20 Mesh 250 g
<u>AR170</u>	Rare Earth Copper Oxide 50 g
<u>AR1700</u>	0.28% Sulfur Coal Standard
<u>AR1701</u>	0.50% Sulfur Coal Standard

<u>AR1702</u>	0.65% Sulfur Coal Standard
<u>AR1703</u>	0.84% Sulfur Coal Standard
<u>AR1704</u>	1.06% Sulfur Coal Standard
<u>AR1705</u>	1.51% Sulfur in Coal
<u>AR1706</u>	2.37% Sulfur Coal Standard
<u>AR1707</u>	2.49% Sulfur Coal Standard
<u>AR1709</u>	3.48% Sulfur Coal Standard
<u>AR170B</u>	Rare Earth Copper Oxide
<u>AR171</u>	Magnesium Percholate 454 g
<u>AR1710</u>	4.84% Sulfur in Coal Standard
<u>AR1711</u>	5.75% Sulfur in Coal Standard
<u>AR1712</u>	6.67% Sulfur in Coal Standard
<u>AR1713</u>	Coal Standard - Lignite
<u>AR1720</u>	Prox Coal Standard
<u>AR1721</u>	Prox Coal Standard 50 g Bottle
<u>AR1722</u>	Prox Coal Standard
<u>AR1723</u>	Prox Coal Standard 50 g Bottle
<u>AR1724</u>	Prox Coal Standard 50 g Bottle
<u>AR1726</u>	Prox Coal Standard 50 g Bottle
<u>AR1727</u>	Prox Coal Standard 50 g Bottle
<u>AR1728</u>	Prox Coal Standard 50 g Bottle
<u>AR1729</u>	Prox Coal Standard
<u>AR173</u>	Alphacel II HP 750 g Bottle
<u>AR1730</u>	Prox Coal Standard 50 g Bottle
<u>AR1731</u>	Prox Coal Standard
<u>AR1732</u>	Prox Coal Standard
<u>AR177</u>	Quartz Wool Fine 4-12 Micron
<u>AR1830</u>	Lube/Paraffin Oil
<u>AR1831</u>	Lube/Paraffin Oil
<u>AR1832</u>	Lube/Paraffin Oil
<u>AR1833</u>	Lube/Paraffin Oil
<u>AR1834</u>	Lube/Paraffin Oil
<u>AR1835</u>	Gold Line Series Lube 0.75%

<u>AR1836</u>	Lube/Paraffin Oil
<u>AR1837</u>	Lube/Paraffin Oil
<u>AR1838</u>	3.0000% Sulfur Lube Oil
<u>AR1839</u>	Gold Line Series Lube 4%
<u>AR184</u>	Copper Ring
<u>AR189</u>	Copper Sticks 100 g Ampoule
<u>AR1905</u>	C,H,N Standard Coal
<u>AR1906</u>	C,H,N Standard Coal 25 g
<u>AR1907</u>	C,H,N Standard Coal
<u>AR1908</u>	C,H,N Standard Coal
<u>AR1910</u>	0.0511% Chlorine Coal Standard
<u>AR1911</u>	0.1481% Chlorine Coal Standard
<u>AR1912</u>	0.24% Chlorine Coal Standard
<u>AR1933</u>	Prox Coal Standard - Lignite
<u>AR1951</u>	Nickel Calibration Wire
<u>AR1963</u>	Tin Capsules 4mm x 3.5mm
<u>AR200</u>	Pin Cutter Wheel 7" Diameter
<u>AR2003</u>	Chlorine/Paraffin Oil
<u>AR2004</u>	9 PPM Chlorine in Paraffin Oil
<u>AR2005</u>	120 PPM Chlorine in Paraffin Oil
<u>AR2006</u>	510 PPM Chlorine in Paraffin Oil
<u>AR2007</u>	1220 PPM Chlorine in Paraffin Oil
<u>AR2008</u>	2000 PPM Chlorine in Paraffin Oil
<u>AR2009</u>	3360 PPM Chlorine in Paraffin Oil
<u>AR2010</u>	5605 PPM Chlorine in Paraffin Oil
<u>AR2011</u>	1.17% Chlorine in Paraffin Oil
<u>AR2012</u>	2.31% Chlorine in Paraffin Oil
<u>AR2013</u>	3.15% Chlorine in Paraffin Oil
<u>AR2014</u>	4.01% Chlorine in Paraffin Oil
<u>AR2015</u>	5.00% Chlorine in Paraffin Oil
<u>AR2029</u>	Graphite High Purity
<u>AR2030</u>	EDTA 500 g
<u>AR2041</u>	Crude Oil .0.5 WT%S

<u>AR2042</u>	Crude Oil 0.10 WT%S 118 mL
<u>AR2043</u>	Crude Oil 0.20 WT%S 118 mL
<u>AR2044</u>	Crude Oil 0.40 WT%S 118 mL
<u>AR2045</u>	Crude Oil 0.60 WT%S 118 mL
<u>AR2046</u>	Crude Oil 0.08 WT%S 118 mL
<u>AR2047</u>	Crude Oil 1.00WT%S 118 mL
<u>AR2048</u>	Crude Oil 2.00 WT%S 118 mL
<u>AR2049</u>	Crude Oil 3.00 WT%S 118 mL
<u>AR2050</u>	Crude Oil 4.00 WT%S 118 mL
<u>AR2051</u>	Crude Oil 5.00 WT%S 118 mL
<u>AR2059</u>	Nickel Boat Liners Pk of 10 L
<u>AR2060</u>	Lead in Gasoline Set-7 BTL
<u>AR2061</u>	Lead in Gasoline .2000%
<u>AR2062</u>	Leas in Gasoline .1250%
<u>AR2063</u>	Lead in Gasoline .0750%
<u>AR2064</u>	Lead in Gasoline .05000%
<u>AR2065</u>	Lead in Gasoline .0250%
<u>AR2066</u>	Lead in Gasoline .0100%
<u>AR2067</u>	Lead in Gasoline .0000%
<u>AR2070</u>	Wyoming Crude 500 mL
<u>AR2071</u>	North Sea Sweet Crude 500 mL
<u>AR2072</u>	Alaska Crude 500 mL
<u>AR2074</u>	Kerosene Ultimate 500 mL
<u>AR2075</u>	#2 Diesel Fuel 500 mL
<u>AR2076</u>	#1 Diesel Ultimate
<u>AR2077</u>	Vacuum Gas Oil
<u>AR2078</u>	Vacuum Gas Oil 500 mL
<u>AR2092</u>	EDTA 50 g Bottle
<u>AR213</u>	Graphite Crucible RH-1E 1000
<u>AR213P</u>	Graphite Crucible RH-1E 100 P
<u>AR2166</u>	Tin Capsules 6 mm Bottle of 100
<u>AR2167</u>	Tin Capsules Large 8 mm
<u>AR2174</u>	Alphasolve II 20-30 Mesh 500 g

<u>AR2176</u>	Alphasolve II 8-20 Mesh 500 g
<u>AR2183</u>	Nickel Capsule 6.5 x 10 mm
<u>AR2186</u>	Tin Foil Cups FP428 100 per
<u>AR2187</u>	Tin Capsule 3.5 mm x 9 mm
<u>AR2188</u>	Aluminum Oxide Pellets
<u>AR2189</u>	Tube Cleaner 8 mm x 4 ft FP42
<u>AR2190</u>	Nickel Foil Cups 100/pk
<u>AR2191</u>	Tin Capsules
<u>AR2192</u>	Tin Capsules
<u>AR2193</u>	Tin Capsules
<u>AR2194</u>	Tin Capsules
<u>AR2195</u>	Tin Capsules
<u>AR2196</u>	Tin Capsules
<u>AR2197</u>	Tin Capsules
<u>AR2198</u>	Tin Capsules
<u>AR2199</u>	Tin Capsules
<u>AR2200</u>	Tin Capsules
<u>AR2301</u>	Tungsten Oxide 125 g per Bottle
<u>AR2304</u>	Copper Sticks Ampoule Stored
<u>AR2343</u>	Nickel Boat Liner, for Liquid
<u>AR2345</u>	Nickel Baskets Low Oxygen 1.5 g 100
<u>AR242</u>	Alphacel Tin Pellets 1 Pound
<u>AR2523</u>	Lube/Paraffin Oil
<u>AR265</u>	Glass Wool Half Pound
<u>AR266</u>	Alphacel Tungsten -12+20
<u>AR266B</u>	Alphacel Tungsten Bulk 30 Pound
<u>AR270</u>	Pin Cutter Wheel AL203
<u>AR2712</u>	Calcined Pet Coke Standard
<u>AR2713</u>	0.05% Sulfur Green Pet. Coke
<u>AR2714</u>	0.906% Sulfur Green Pet. Coke
<u>AR2715</u>	1.20% Sulfur Green Pet. Coke
<u>AR2717</u>	2.21% Sulfur Green Pet. Coke
<u>AR2719</u>	2.64% Sulfur Calcined Pet. Coke

<u>AR2720</u>	4.32% Sulfur Green Pet. Coke
<u>AR2721</u>	5.56% Sulfur Green Pet. Coke
<u>AR2722</u>	2.80% Sulfur Calcined Pet. Coke
<u>AR2723</u>	5.16% Sulfur Green Pet. Coke
<u>AR2751</u>	Mineral Analysis Standard
<u>AR2752A</u>	Mineral Analysis Standard
<u>AR2753</u>	Mineral Analysis Standard
<u>AR2754</u>	Mineral Analysis Standard
<u>AR2755</u>	Mineral Analysis Standard
<u>AR2756</u>	Mineral Analysis Standard
<u>AR2758</u>	Mineral Analysis Standard
<u>AR2760</u>	Mineral Analysis Standard
<u>AR277</u>	Graphite Crucible box of 100
<u>AR2771</u>	Ultimate Coke Standard 50 g
<u>AR2772</u>	Ultimate Coke Standard 50 g
<u>AR2773</u>	Ultimate Coke Standard 50 g
<u>AR2775</u>	Ultimate Coal Standard
<u>AR2776</u>	Ultimate Coal Standard 50 g
<u>AR2778</u>	Ultimate Coal Standard
<u>AR277P</u>	Graphite Crucible
<u>AR2780</u>	Ultimate Coal Standard
<u>AR2781</u>	Ultimate Analysis Coal Standard
<u>AR2782</u>	Ultimate Coal Standard 50 g
<u>AR2809</u>	Residual Fuel Oil .35% S
<u>AR2812</u>	Residual Fuel Oil .60% S 4 oz
<u>AR2813</u>	Residual Fuel Oil .80% S
<u>AR2814</u>	Residual Fuel Oil 1.00% S
<u>AR2815</u>	Residual Fuel Oil 2.00% S
<u>AR2816</u>	Residual Fuel Oil 3.00% S
<u>AR2817</u>	Residual Fuel Oil 4.00% S
<u>AR2818</u>	Residual Fuel Oil 1.50 % S
<u>AR2819</u>	Residual Fuel Oil 2.50 % S
<u>AR2821</u>	#2 Diesel Oil .15% S

<u>AR2822</u>	#2 Diesel Oil .30% S
<u>AR2823</u>	#2 Diesel Oil Nominal Value
<u>AR2824</u>	#2 Diesel Oil .70% S 4 oz
<u>AR2825</u>	#2 Diesel Oil 1.00 % S
<u>AR2826</u>	#2 Diesel Oil 1.50% S 4 oz
<u>AR2827</u>	#2 Diesel Oil 2.00% S 4 oz
<u>AR2828</u>	#2 Diesel Oil 2.50% S 4 oz
<u>AR2829</u>	#2 Diesel Oil 3.00% S 4 oz
<u>AR2830</u>	Lube Oil Set (9 Bottle)
<u>AR2831</u>	Lube Oil .07% S
<u>AR2832</u>	Lube Oil .25% S
<u>AR2833</u>	Lube Oil .50% S
<u>AR2834</u>	Lube Oil .70% S
<u>AR2835</u>	Lube Oil 1.00% S
<u>AR2836</u>	Lube Oil 2.00% S 4 oz
<u>AR2837</u>	Lube Oil 4.00% S
<u>AR2838</u>	Lube Oil .01% S
<u>AR2839</u>	Lube Oil 3.00% S
<u>AR2841</u>	Kerosene .01% S 118 mL
<u>AR2842</u>	Kerosene .03% S 118 mL
<u>AR2843</u>	Kerosene .05% S 118 mL
<u>AR2844</u>	Kerosene .10% S 118 mL
<u>AR2845</u>	Kerosene .20% S 118 mL
<u>AR2846</u>	Kerosene .30% S 118 mL
<u>AR2847</u>	Kerosene .40% S 118 mL
<u>AR2848</u>	Kerosene .50% s 118 mL
<u>AR2849</u>	Kerosene 0% S 118 mL
<u>AR2857</u>	Lube Oil Standard 5%
<u>AR2858</u>	High Sulfur Lube Oil
<u>AR2859</u>	High Sulfur Residual Oil 5% 4 oz
<u>AR2860</u>	High Sulfur Oil Set
<u>AR2861</u>	High Sulfur Residual Oil 6% 4 oz
<u>AR2862</u>	High Sulfur Residual Oil 10% 4 oz

<u>AR2863</u>	High Sulfur Residual Oil 20% 4 oz
<u>AR2864</u>	Lube Oil 29.67% S
<u>AR2865</u>	Ultra Low #2 Diesel Oil 4 oz
<u>AR2866</u>	Ultra Low #2 Diesel Oil
<u>AR2867</u>	Ultra Low #2 Diesel Oil
<u>AR2868</u>	Ultra Low #2 Diesel Oil <1PPM 4 oz
<u>AR2869</u>	#2 Diesel 20 PPM
<u>AR2870</u>	Ultra Low #2 Diesel Set
<u>AR2871</u>	Ultra Low #2 Diesel Oil Nominal Value
<u>AR2872</u>	Ultra Low #2 Diesel Oil Nominal Value
<u>AR2873</u>	Ultra Low #2 Diesel Oil Nominal Value
<u>AR2874</u>	Ultra Low #2 Diesel Oil Nominal Value
<u>AR2875</u>	Ultra Low #2 Diesel Oil Nominal Value
<u>AR2876</u>	Ultra Low #2 Diesel Oil Nominal Value
<u>AR2877</u>	Ultra Low #2 Diesel Oil Nominal Value
<u>AR2890</u>	Residual Oil Set
<u>AR2891</u>	Residual Fuel Oil 0.10% S 4 oz
<u>AR2892</u>	Residual Fuel Oil 0.20% S 4 oz
<u>AR2893</u>	Residual Fuel Oil 0.30% S 4 oz
<u>AR2894</u>	Residual Fuel Oil 0.40% S 4 oz
<u>AR2895</u>	Residual Fuel Oil 0.50% S 4 oz
<u>AR2896</u>	Residual Fuel Oil 0.70% S 4 oz
<u>AR2897</u>	Residual Fuel Oil 0.90% S 4 oz
<u>AR2898</u>	Residual Oil Standard
<u>AR2899</u>	4.5% S in Residual Oil
<u>AR2900</u>	Lube Oil Set V,Ni,S
<u>AR2901</u>	Lube Oil Set V,Ni,S
<u>AR2902</u>	Lube Oil Set V,Ni,S
<u>AR2903</u>	Lube Oil Set V,Ni,S
<u>AR2904</u>	Lube Oil Set V,Ni,S
<u>AR2905</u>	Lube Oil Set V,Ni,S
<u>AR2911</u>	Residual Oil Standard
<u>AR2930</u>	Lube Oil Complete Set

<u>AR2931</u>	Lube Oil 0.02% S
<u>AR2932</u>	Lube Oil 0.05% S
<u>AR2933</u>	Lube Oil 0.08% S
<u>AR2934</u>	Lube Oil 0.10% S
<u>AR2935</u>	Lube Oil 0.35% S
<u>AR2936</u>	Lube Oil 0.90% S
<u>AR2937</u>	Lube Oil 1.50% S
<u>AR2938</u>	Lube Oil 2.50% S
<u>AR2939</u>	Lube Oil 3.50% S
<u>AR2940</u>	Crude Oil Complete Set 19 Bottles
<u>AR2941</u>	Crude Oil 0.01% WT % S 118 mL
<u>AR2942</u>	Crude Oil 0.02% WT % S 118 mL
<u>AR2943</u>	Crude Oil 0.03% WT % S 118 mL
<u>AR2944</u>	Crude Oil 0.04% WT % S 118 mL
<u>AR2945</u>	Crude Oil 0.06% WT % S 118 mL
<u>AR2946</u>	Crude Oil 0.07% WT % S 118 mL
<u>AR2947</u>	Crude Oil 0.08% WT % S 118 mL
<u>AR2948</u>	Crude Oil 0.09% WT % S 118 mL
<u>AR2950</u>	Kerosene Complete 15 Bottle Set
<u>AR2951</u>	Kerosene 0.02% S 118 mL
<u>AR2952</u>	Kerosene 0.04% S 118 mL
<u>AR2953</u>	Kerosene 0.06% S 118 mL
<u>AR2954</u>	Kerosene 0.07% S 118 mL
<u>AR2955</u>	Kerosene 0.08% S 118 mL
<u>AR2956</u>	Kerosene 0.09% S 118 mL
<u>AR2960</u>	#2 Diesel Oil Set 14 Bottle Set
<u>AR2961</u>	#2 Diesel Oil .20% S
<u>AR2962</u>	#2 Diesel Oil .40% S 4 oz
<u>AR2963</u>	#2 Diesel Oil .60% S
<u>AR2964</u>	#2 Diesel Oil .80% S
<u>AR2965</u>	#2 Diesel Oil .90% S
<u>AR299</u>	Iron Standard C=1.05 S=.011
<u>AR300</u>	Cast Iron Standard C=3.32% S=0

<u>AR3000</u>	Gasoline Standard 9 Bottle Set
<u>AR3001</u>	Gasoline Standard 1 PPM
<u>AR3002</u>	Gasoline Standard 50 PPM
<u>AR3003</u>	Gasoline Standard 100 PPM
<u>AR3004</u>	Gasoline Standard 300 PPM
<u>AR3005</u>	Gasoline Standard 500 PPM
<u>AR3006</u>	Gasoline Standard 700 PPM
<u>AR3007</u>	Gasoline Standard 900 PPM
<u>AR3008</u>	Gasoline Standard 1200 PPM
<u>AR3009</u>	Gasoline Standard 2000 PPM
<u>AR301</u>	Cast Iron C=2.07 S=.010
<u>AR302</u>	Gray Iron C=3.31% S=0.047%
<u>AR3024</u>	#1 Diesel Flash Point Standard
<u>AR3025</u>	#2 Diesel Flash Point 500 mL
<u>AR3027</u>	Kerosene Flash Point Standard
<u>AR3028</u>	#1 Diesel Viscosity Standard
<u>AR3029</u>	#2 Diesel Viscosity Standard
<u>AR303</u>	Nodular Iron C=3.92% S=0.023%
<u>AR3031</u>	Kerosene Viscosity Standard 118 mL
<u>AR304</u>	Ductile Iron C=4.23% S=0.014%
<u>AR305</u>	Malleable iron C=2.75% S=0.0
<u>AR306</u>	Nodular Iron C=3.56% S=0.014%
<u>AR309</u>	Nodular Iron C=3.71% S=0.021%
<u>AR310</u>	Cast Iron C=3.40% S=0.084%
<u>AR3110</u>	Sulfur and Lead in Gas 5 Bottle Set
<u>AR3111</u>	Sulfur and Lead in Gas 118 mL
<u>AR3112</u>	Sulfur and Lead in Gas 118 mL
<u>AR3113</u>	Sulfur and Lead in Gas 118 mL
<u>AR3114</u>	Sulfur and Lead in Gas 118 mL
<u>AR3115</u>	Sulfur and Lead in Gas 118 mL
<u>AR3118</u>	#1 Diesel S Free 118 mL
<u>AR3119</u>	#2 Diesel S Free 118 mL
<u>AR3120</u>	Paraffin Oil S Free 118 mL

<u>AR315</u>	Cast Iron Shot C=3.09% S=0.111
<u>AR3150</u>	Nitrogen in V.G.O. Set
<u>AR3151</u>	1 PPM Nitrogen in V.G.O.
<u>AR3152</u>	5 PPM Nitrogen in V.G.O.
<u>AR3153</u>	10 PPM Nitrogen in V.G.O.
<u>AR3154</u>	25 PPM Nitrogen in V.G.O.
<u>AR3155</u>	50 PPM Nitrogen in V.G.O.
<u>AR3156</u>	100 PPM Nitrogen in V.G.O.
<u>AR3157</u>	400 PPM Nitrogen in V.G.O.
<u>AR318</u>	Cast Iron Standard C=3.08% S=0.37%
<u>AR319</u>	Cast Iron Standard White Iron
<u>AR321</u>	Alphacat 250 g per Bottle
<u>AR322</u>	Cast Iron Standard C=3.37% S=.046%
<u>AR323</u>	Pig Iron Standard C=3.84% S=.064%
<u>AR327</u>	Kerosene CHN 118 mL
<u>AR330</u>	#2 Diesel CHN 118 mL
<u>AR331S</u>	Graphite Crucible .625 OD SOL
<u>AR3500</u>	Sulfur/Chlorine in Lube
<u>AR3501</u>	Sulfur/Chlorine in Lube
<u>AR3502</u>	Sulfur/Chlorine in Lube 5% S
<u>AR3503</u>	Sulfur/Chlorine in Lube
<u>AR3504</u>	Sulfur/Chlorine in Lube 2% S
<u>AR3505</u>	Sulfur/Chlorine in Lube 1% S
<u>AR3506</u>	Sulfur/Chlorine in Lube .5% S
<u>AR3507</u>	Sulfur/Chlorine in Lube
<u>AR351</u>	Halogen Scrubber 50 g
<u>AR3520</u>	Low Sulfur Lube 8 Bottle Set
<u>AR3521</u>	Low Sulfur Lube Oil
<u>AR3522</u>	Low Sulfur Lube Oil
<u>AR3524</u>	Low Sulfur Lube Oil
<u>AR3525</u>	Low Sulfur Lube Oil
<u>AR3526</u>	Low Sulfur Lube Oil
<u>AR3527</u>	Low Sulfur Lube Oil

<u>AR3528</u>	Low Sulfur Lube Oil
<u>AR366</u>	Copper Metal Granular 25 Pound
<u>AR3701</u>	Mercury and Chlorine in Coal
<u>AR3702</u>	Mercury and Chlorine in Coal
<u>AR3703</u>	Mercury and Chlorine in Coal
<u>AR3704</u>	Mercury and Chlorine in Coal
<u>AR3705</u>	Mercury and Chlorine in Coal
<u>AR3818</u>	Ceramic Crucible Bagged Box
<u>AR3818B</u>	Ceramic Crucible Box of 500
<u>AR3818BS</u>	Ceramic Crucible Grade III
<u>AR3818F</u>	Ceramic Crucible Box of 1000
<u>AR3818P</u>	Crucibles Bag of 50
<u>AR3818S</u>	Ceramic Crucible Grade III Bagged
<u>AR400</u>	Tin Coated Copper 3 Pound Container
<u>AR4101</u>	Small Boat Loop Nickel
<u>AR4113</u>	Large Boat Loop Nickel
<u>AR414</u>	Graphite Crucible Box of 100
<u>AR414P</u>	Graphite Crucible
<u>AR426</u>	Combustion Control Solid
<u>AR427</u>	Combustion Control for Liquid
<u>AR431</u>	Inner Carbon Crucible 1000 per Pack
<u>AR431P</u>	Inner Carbon Crucible
<u>AR433</u>	Outer Carbon Crucible 50 per Pack
<u>AR4531</u>	Graphite/Carbon
<u>AR4533</u>	Carbon/Graphite
<u>AR467</u>	Iron Chip 25 Pounds Bulk
<u>AR468</u>	Iron Powder Bulk
<u>AR4961</u>	Porous Crucible for Solid Samples
<u>AR508</u>	Nickel Baskets 1 g Baskets
<u>AR509</u>	Nickel Baskets 1.5 g Baskets
<u>AR510</u>	2.55% C .061% S Pin Standard 0.5g NO
<u>AR511</u>	Pin Standard C=0.081% S=0.238%
<u>AR512</u>	Pin Standard C=0.015% S=0.269% 0.5g

<u>AR546</u>	Hydrogen in Steel Pin Standard
<u>AR555</u>	Hydrogen in Steel Pin Standard
<u>AR556</u>	Hydrogen in Steel Pin Standard
<u>AR557</u>	Steel Ball Standard H=3.7 PPM
<u>AR558</u>	Hydrogen in Steel Pin Standard
<u>AR568</u>	Replaced by AR2183
<u>AR569</u>	Nickel Capsule 4.7 OD x 9.7 SM
<u>AR570</u>	Tin Plugs 150 per Bottle
<u>AR571</u>	Copper Capsule
<u>AR598</u>	Short Nibbled Nickel Low Oxygen
<u>AR599</u>	Long Nibbled Nickel Low Oxygen
<u>AR608</u>	Halogen Trap Sb Metal
<u>AR610</u>	Halogen Trap Material
<u>AR6201</u>	Ultra Low Kerosene .0010%
<u>AR6202</u>	Ultra Low Kerosene .0050%
<u>AR6203</u>	Ultra Low Kerosene .0100% S
<u>AR6204</u>	Ultra Low Kerosene .0150% S
<u>AR6205</u>	Ultra Low Kerosene .0200% S
<u>AR6206</u>	Ultra Low Kerosene .0400% S
<u>AR6207</u>	Ultra Low Kerosene .0200% S
<u>AR6208</u>	Ultra Low Kerosene .0300% S
<u>AR6209</u>	Ultra Low Kerosene .0400% S
<u>AR621</u>	Copper Turnings Degassed 200
<u>AR6210</u>	Ultra Low Kerosene .0600% S
<u>AR6211</u>	Ultra Low Kerosene .0700% S
<u>AR6213</u>	Ultra Low Kerosene .0900% S
<u>AR6215</u>	Ultra Low Kerosene 13 Bottle Set
<u>AR6247</u>	Carbon Crucibles Box of 100
<u>AR6247M</u>	Graphite Crucibles Resealable
<u>AR637</u>	H/O in Titanium H=16 PPM O=5
<u>AR639</u>	Tin Flux 0.5 g Pellets 1 Pound
<u>AR642</u>	HON in Titanium Standard H=4
<u>AR643</u>	Copper Metal Scrubber

<u>AR644</u>	O/N in Steel Pin Standard O=3
<u>AR645</u>	O/N in Steel Pin Standard O=6
<u>AR646</u>	O/N in Steel Pin Standard O=3
<u>AR648</u>	No Longer in Stock, No Replacement
<u>AR649</u>	HON in Titanium Pin Standard H=206P
<u>AR650</u>	HON in Titanium Pin Standard H=60PPM
<u>AR651</u>	HON in Titanium Pin Standard H=29PPM
<u>AR654</u>	O/N in Steel Pin Standard O=34
<u>AR655</u>	O/N in Steel Pin Standard O=2
<u>AR656</u>	O/N in Steel Pin Standard O=8
<u>AR657</u>	O/N in Steel Pin Standard O=77
<u>AR659</u>	O/N in Steel Pin Standard O=13
<u>AR660</u>	O/N in Steel Pin Standard O=6
<u>AR661</u>	O/N in Steel Pin Standard O=4
<u>AR662</u>	O/N in Steel Pin Standard O=3
<u>AR663</u>	O/N in Steel Pin Standard O=43
<u>AR668</u>	O/N in Steel Pin Standard O=1
<u>AR669</u>	O/N in Steel Pin Standard O=2
<u>AR673</u>	Wrought Iron Chip Standard C=0
<u>AR695</u>	Tin Metal 20 Mesh 25 Pound Can
<u>AR719</u>	Coke Standard
<u>AR720</u>	Coke Standard
<u>AR723</u>	Coke Standard
<u>AR732</u>	Prox Coke 50 g
<u>AR733</u>	Prox Coke 50 g
<u>AR734</u>	Prox Coke 50 g
<u>AR742B</u>	Petroleum Coke 50 g Bottle
<u>AR744</u>	Calcined Petroleum Coke
<u>AR745</u>	Green Petroleum Coke
<u>AR747</u>	Green Petroleum Coke
<u>AR748</u>	Discontinued. See AR744
<u>AR756</u>	Green Petroleum Coke
<u>AR761</u>	Crucible RH-3pk of 10

<u>AR7629</u>	Discontinued Until Further Notice
<u>AR7630</u>	Discontinued Until Further Notice
<u>AR7631</u>	Discontinued Until Further Notice
<u>AR7632</u>	Discontinued Until Further Notice
<u>AR7633</u>	Discontinued Until Further Notice
<u>AR7634</u>	Discontinued Until Further Notice
<u>AR782</u>	Graphite Crucibles
<u>AR7827</u>	Hi Temp Carbon Crucible
<u>AR782HD</u>	Graphite Crucibles High Density
<u>AR782P</u>	Graphite Crucible
<u>AR8028</u>	Filtering Crucible Small
<u>AR8028F</u>	Filtering Crucible Small
<u>AR8030</u>	Filtering Crucible Large 100
<u>AR8120</u>	Crucible - Low C&S 150/Can
<u>AR8203</u>	Combustion Boat Box of 500
<u>AR8379</u>	Quartz Wool Strips 15"
<u>AR8599</u>	Low Oxygen Nickel Flux
<u>AR869</u>	C/S Ring Standard C=0.019% S=0.014%
<u>AR870</u>	C/S Ring Standard C=.032% S=.034%
<u>AR871</u>	C/S Ring Standard C=.053% S=.033%
<u>AR872</u>	C/S Ring Standard C=.182% S=.019%
<u>AR873</u>	C/S Ring Standard C=.468% S=.0110%
<u>AR874</u>	C/S Ring Standard C=.723% S=.022%
<u>AR875</u>	C/S Ring Standard C=.817% S=.0035%
<u>AR876</u>	C/S Ring Standard C=.546% S=.0082%
<u>AR878</u>	C/S Ring Standard C=.272% S=.020%
<u>AR881</u>	C/S Ring Standard C=.0170% S=.0031%
<u>AR882</u>	C/S Ring Standard C=.064% S=.021%
<u>AR883</u>	C/S Ring Standard C=.193% S=.018%
<u>AR884</u>	C/S Ring Standard C=.4410% S=.0110%
<u>AR885</u>	C/S Ring Standard C=.805% S=.022%
<u>AR886</u>	C/S Ring Standard C=.738% S=.024%
<u>AR888</u>	C/S Ring Standard C=.079% S=.234%

<u>AR889</u>	C/S Ring Standard C=.996% S=.010%
<u>AR890</u>	C/S Ring Standard C=.099% S=.018%
<u>AR891</u>	C/S Ring Standard C=.038% S=.033%
<u>AR892</u>	C/S Ring Standard C=.0050% S=.0025%
<u>AR893</u>	C/S Ring Standard C=1.53% S=.013%
<u>AR894</u>	C/S Ring Standard C=.544% S=.0096%
<u>AR895</u>	C/S Ring Standard C=.247% S=.021%
<u>AR912</u>	Platinized Silica
<u>AR9204</u>	Combustion Boat S144
<u>AR9204P</u>	Combustion Boat S144
<u>AR9205</u>	Ceramic (Quartz) Refractory
<u>AR9206</u>	Ceramic (Quartz) Refractory
<u>AR9207</u>	Ceramic (Quartz) Refractory
<u>AR9208</u>	Ceramic (Quartz) Refractory
<u>AR9209</u>	Ceramic (Quartz) Refractory
<u>AR9210</u>	Ceramic (Quartz) Refractory
<u>AR9211</u>	Ceramic (Quartz) Refractory
<u>AR9212</u>	Ceramic (Quartz) Refractory
<u>AR9213</u>	Ceramic (Quartz) Refractory
<u>AR9214</u>	Ceramic (Quartz) Refractory
<u>AR9215</u>	Ceramic (Quartz) Refractory
<u>AR9216</u>	Ceramic (Quartz) Refractory
<u>AR9217</u>	Ceramic (Quartz) Refractory
<u>AR9218</u>	Ceramic (Quartz) Refractory
<u>AR9219</u>	Ceramic (Quartz) Refractory
<u>AR9220</u>	Ceramic (Quartz) Refractory
<u>AR9222</u>	Ceramic (Quartz) Refractory
<u>AR9223</u>	Ceramic (Quartz) Refractory
<u>AR9224</u>	Ceramic (Quartz) Refractory
<u>AR9225</u>	Ceramic (Quartz) Refractory
<u>AR9226</u>	Ceramic (Quartz) Refractory
<u>AR9227</u>	Ceramic (Quartz) Refractory
<u>AR9228</u>	Ceramic (Quartz) Refractory

<u>AR9229</u>	Ceramic (Quartz) Refractory
<u>AR9230</u>	Ceramic (Quartz) Refractory
<u>AR9231</u>	Ceramic (Quartz) Refractory
<u>AR9232</u>	Ceramic (Quartz) Refractory
<u>AR9233</u>	Thermocouple for Truspec 90DE
<u>AR9234</u>	Ceramic (Quartz) Refractory
<u>AR9235</u>	Ceramic (Quartz) Refractory
<u>AR9236</u>	Ceramic (Quartz) Refractory
<u>AR9237</u>	Ceramic (Quartz) Refractory
<u>AR9238</u>	Ceramic (Quartz) Refractory
<u>AR9239</u>	Ceramic (Quartz) Refractory
<u>AR9240</u>	Ceramic (Quartz) Refractory
<u>AR9241</u>	Ceramic (Quartz) Refractory
<u>AR9242</u>	Ceramic (Quartz) Refractory
<u>AR9243</u>	Ceramic (Quartz) Refractory
<u>AR9244</u>	Ceramic (Quartz) Refractory
<u>AR9245</u>	Ceramic (Quartz) Refractory
<u>AR9246</u>	Ceramic (Quartz) Refractory
<u>AR9247</u>	Ceramic (Quartz) Refractory
<u>AR9248</u>	Ceramic (Quartz) Refractory
<u>AR9249</u>	Ceramic (Quartz) Refractory
<u>AR9250</u>	Ceramic (Quartz) Refractory
<u>AR946</u>	C/S/N Chip Standard C=0.0029%
<u>AR947</u>	C/S/N Chip Standard C=0.389%
<u>AR948</u>	C/S/N Chip Standard C=0.509%
<u>AR949</u>	C/S/N Chip Standard C=0.018%
<u>AR950</u>	C/S/N Chip Standard C=0.055%
<u>AR951</u>	C/S/N Chip Standard C=0.150%
<u>AR952</u>	C/S/N Chip Standard C=0.462%
<u>AR9520</u>	Graphite Crucible RH-2
<u>AR9520C</u>	Graphite Crucible RH-2
<u>AR9520M</u>	Graphite Crucible RH-2
<u>AR953</u>	C/S/N Chip Standard C=0.927%

<u>AR954</u>	C/S/N Chip Standard C=0.402%
<u>AR955</u>	C/S/N Chip Standard C=0.203%
<u>AR956</u>	C/S/N Chip Standard C=0.492%
<u>AR957</u>	C/S/N Chip Standard C=0.183%
<u>AR958</u>	C/S/N Chip Standard C=0.058%
<u>AR959</u>	C/S/N Chip Standard C=0.019%
<u>AR961</u>	C/S/N Powdered Metal Standard
<u>AR9721</u>	Quartz Wool Extra Fine 1-4 μ
<u>AR980</u>	In Line Particle Filter
<u>ATD1000</u>	Tin Capsules Pressed 4 x 3.2
<u>ATD1001</u>	Tin Capsules 4 mm x 3.2 mm 100
<u>ATD1002</u>	Tin Capsules 5 x 3.5 500 Pack
<u>ATD1003</u>	Tin Capsules 5 x 3.5 100 Pack
<u>ATD1006</u>	Tin Capsules 6 x 4 mm 500 Pack
<u>ATD1007</u>	Tin Capsules 6 x 4 mm 100 Pack
<u>ATD1008</u>	Tin Capsules 8 x 5 mm 250 Pack
<u>ATD1009</u>	Tin Capsules 8 x 5 mm 100 Pack
<u>ATD1010</u>	Tin Capsules 12 x 5 mm 200 Pack
<u>ATD1011</u>	Tin Capsules 20 x 8 mm 100 Pack
<u>ATD1027</u>	Tin Capsules 6 x 4 Clean 96 Pack
<u>ATD1029</u>	Tin Capsules 8 x 5 Clean 96 Pack
<u>ATD4002</u>	Tin Capsules
<u>ATD4005</u>	Tin Capsules, Smooth
<u>ATD4023</u>	Tin Capsules
<u>ATD5216</u>	Tin Foil Capsules 10 x 10 mm
<u>CO102</u>	UCon (TM) Lubricant
<u>CO104</u>	UCon (TM) Lubricant
<u>DMR1414</u>	2.2% S in #2 Diesel
<u>DMR1591</u>	100 PPM N in Vacuum Gas Oil